



SCREENDRUM MINI ASCO® SCREEN

MODULAR PROCESSING SOLUTIONS

SCREENDRUM SD MINI

ASCO ® SCREEN



The innovative mobile trommel screen from ASCO®Screen - robust, compact and versatile. With variable height settings, it enables easy transportation and user-friendly operation. Whether manual material feeding or feeding via excavator and conveyor belt - even moist and sticky material is processed effortlessly. The screened materials are ejected over the entire length of the drum, while oversized particles are discharged through a rear chute.





ADVANTAGES OF THE SD-MINI

MOBILE, FLEXIBLE AND POWERFUL!

Experience the perfect combination of flexibility, performance and robustness for your individual screening tasks with the ASCO®Screen SD Mini.

- ✓ Stepless drum speed
- ✓ Variable drum rotation direction
- ✓ Effective free-rotation program in case of overfilling
- ✓ Quick drum change
- ✓ Wide range of drum configurations
- ✓ Optimized drum perforation
- ✓ Round drum with cleaning brush
- ✓ Adjustable sieve angle







MOBILITY & TRANSPORTABILITY









AREAS OF APPLICATION FOR THE SD-MINI

- Efficient processing of various materials in recycling operations.
- Economical use in construction, agricultural and gardening operations where space is limited.
- ✓ Flexible use thanks to numerous customization options.
- High performance and capacity for impressive screening performance.
- Versatile material separation of coarse particles, shavings, compost, soil, bark mulch, pellets, wood chips, gravel, building demolition materials and plastic.



DATA SHEET





Δ

Δ

Δ

Usable screen area: 3,15m² Λ Screening capacity: 5 - 40m3

Diameter of the perforation: 4 - 100mm Δ

Hopper opening: Optional (1300 and 1600) x 600mm Δ

Δ Bucket width: 1.5m

Δ Speeds (adjustable): 5-20rpm

Drive power: 2.2 kW Δ Δ Filling height: 1.2 - 1.9m

Weight: 510kg

- Vibration motors for emptying the hopper
- Drum rotation in both directions Δ

Δ Cleaning brush


Δ Easy drum replacement

Δ Single wheel drive

Δ Hour counter

Δ Remote control

Adjustable height



800

1500

Sales partner: